

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
42 MAIN ST Side 2	ash: white/ <i>Fraxinus americana</i>	6	Dead	Dead -- Remove
115 X PEARL ST Side 7	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Dead	Dead -- Remove
14 PROFESSORS ROW Front 1	ash: white/ <i>Fraxinus americana</i>	42	Dead	Dead -- Remove
593 X SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Dead	Dead -- Remove
684 X SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Dead	Dead -- Remove
181 WASHINGTON ST Side 3	ash: white/ <i>Fraxinus americana</i>	6	Dead	Dead -- Remove
201 X WILLOW AVE Rear 2	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Dead	Dead -- Remove
98 BROADWAY Side 2	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Fair	Recommended for treatment
104 BROADWAY Side 2	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Fair	Recommended for treatment
41 FLINT ST Front 1	ash: white/ <i>Fraxinus americana</i>	10	Fair	Recommended for treatment
40 HARVARD ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	12	Fair	Recommended for treatment
34 INDIANA AVE Side 2	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Fair	Recommended for treatment
2 IVALOO ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Recommended for treatment
20 JAQUES ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Fair	Recommended for treatment
103 KIDDER AVE Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	17	Poor	Recommended for treatment
70 X LINWOOD ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Recommended for treatment
70 X LINWOOD ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Recommended for treatment

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
70 X LINWOOD ST Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Recommended for treatment
362 LOWELL ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Fair	Recommended for treatment
351 X MYSTIC AVE Median 1	ash: green/ <i>Fraxinus pennsylvanica</i>	12	Poor	Recommended for treatment
351 X MYSTIC AVE Median 3	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Recommended for treatment
351 X MYSTIC AVE Median 7	ash: green/ <i>Fraxinus pennsylvanica</i>	12	Poor	Recommended for treatment
511 MYSTIC VALLEY PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	17	Poor	Recommended for treatment
533 MYSTIC VALLEY PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	21	Poor	Recommended for treatment
140 X SOUTH ST Front 1	ash: white/ <i>Fraxinus americana</i>	7	Poor	Recommended for treatment
140 X SOUTH ST Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Recommended for treatment
140 X SOUTH ST Front 5	ash: white/ <i>Fraxinus americana</i>	8	Poor	Recommended for treatment
50 X TUFTS ST Front 5	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Fair	Recommended for treatment
15 WEBSTER AVE Front 7	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Fair	Recommended for treatment
19 X WHITFIELD RD Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Fair	Recommended for treatment
82 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Fair	Recommended for treatment
132 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Fair	Recommended for treatment
171 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Fair	Recommended for treatment
91 WOODS AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	18	Fair	Recommended for treatment

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
25 ATHERTON ST Side 1	ash: green/Fraxinus pennsylvanica	7	Poor	Assessed for Removal
64 BEACON ST Front 1	ash: green/Fraxinus pennsylvanica	16	Poor	Assessed for Removal
64 BEACON ST Front 2	ash: green/Fraxinus pennsylvanica	8	Poor	Assessed for Removal
103 BEACON ST Front 1	ash: green/Fraxinus pennsylvanica	7	Poor	Assessed for Removal
105 BEACON ST Front 1	ash: green/Fraxinus pennsylvanica	12	Poor	Assessed for Removal
225 X BROADWAY Median 1	ash: green/Fraxinus pennsylvanica	7	Poor	Assessed for Removal
720 BROADWAY Side 1	ash: green/Fraxinus pennsylvanica	10	Poor	Assessed for Removal
73 CENTRAL ST Side 2	ash: green/Fraxinus pennsylvanica	15	Poor	Assessed for Removal
7 CRAIGIE ST Front 1	ash: green/Fraxinus pennsylvanica	6	Poor	Assessed for Removal
9 CROSS ST Front 1	ash: green/Fraxinus pennsylvanica	11	Poor	Assessed for Removal
9 CROSS ST Front 2	ash: green/Fraxinus pennsylvanica	7	Poor	Assessed for Removal
57 CROSS ST Front 1	ash: green/Fraxinus pennsylvanica	8	Poor	Assessed for Removal
14 CROSS ST EAST Front 1	ash: green/Fraxinus pennsylvanica	8	Poor	Assessed for Removal
91 CURTIS ST Front 1	ash: green/Fraxinus pennsylvanica	9	Poor	Assessed for Removal
25 X DANA ST Median 3	ash: green/Fraxinus pennsylvanica	14	Poor	Assessed for Removal
25 X DANA ST Median 6	ash: green/Fraxinus pennsylvanica	11	Poor	Assessed for Removal
25 X DANA ST Median 7	ash: green/Fraxinus pennsylvanica	12	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
25 X DANA ST Median 8	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
25 X DANA ST Median 12	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
25 X DANA ST Median 17	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
25 X DANA ST Median 19	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
25 DURHAM ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	30	Poor	Assessed for Removal
12 X EDMANDS ST Median 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
12 X EDMANDS ST Median 2	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
12 X EDMANDS ST Median 3	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Poor	Assessed for Removal
12 X EDMANDS ST Median 4	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Dead	Assessed for Removal
1 ELLSWORTH ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
19 ELM ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
41 FLINT ST Side 1	ash: white/ <i>Fraxinus americana</i>	8	Poor	Assessed for Removal
84 GRANT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	17	Poor	Assessed for Removal
94 GRANT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
105 GRANT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
6 HERBERT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Poor	Assessed for Removal
67 HIGHLAND AVE Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
67 HIGHLAND AVE Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
351 HIGHLAND AVE Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
9 HOLLAND ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
40 HOLLAND ST Front 11	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
62 IBBETSON ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
30 X INNER BELT RD Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
41 JACKSON RD Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
20 JAQUES ST Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
42 MAIN ST Side 1	ash: white/ <i>Fraxinus americana</i>	5	Poor	Assessed for Removal
42 MAIN ST Side 3	ash: white/ <i>Fraxinus americana</i>	5	Poor	Assessed for Removal
305 MEDFORD ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Poor	Assessed for Removal
88 MT VERNON ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	17	Poor	Assessed for Removal
26 MUNROE ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
81 MUNROE ST Front 1	ash: white/ <i>Fraxinus americana</i>	15	Poor	Assessed for Removal
34 NORTH ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Poor	Assessed for Removal
34 NORTH ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
52 OSSIPEE RD Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
71 OSSIPEE RD Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Poor	Assessed for Removal
96 OSSIPEE RD Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
56 OTIS ST Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	25	Poor	Assessed for Removal
108 PACKARD AVE Side 2	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
72 PARK ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
115 X PEARL ST Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
170 PEARL ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	26	Poor	Assessed for Removal
211 PEARL ST Side 1	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
99 PEARSON AVE Front 1	ash: white/ <i>Fraxinus americana</i>	22	Poor	Assessed for Removal
10 POPLAR ST Side 2	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
10 POPLAR ST Side 3	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Assessed for Removal
12 PROPERZI WAY Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Poor	Assessed for Removal
23 RUSSELL RD Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
255 SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Assessed for Removal
255 SOMERVILLE AVE Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
451 SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
510 SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
599 SOMERVILLE AVE Front 2	ash: white/ <i>Fraxinus americana</i>	5	Poor	Assessed for Removal
599 SOMERVILLE AVE Front 3	ash: white/ <i>Fraxinus americana</i>	5	Poor	Assessed for Removal
622 SOMERVILLE AVE Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
622 SOMERVILLE AVE Front 5	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
628 SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
629 SOMERVILLE AVE Front 1	ash: white/ <i>Fraxinus americana</i>	6	Poor	Assessed for Removal
671 SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
684 X SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
689 X SOMERVILLE AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
725 X SOMERVILLE AVE Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 5	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 6	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 7	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 8	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	Assessed for Removal
740 X SOMERVILLE AVE Front 9	ash: green/ <i>Fraxinus pennsylvanica</i>	7	Poor	Assessed for Removal
172 SUMMER ST Front 1	ash: white/ <i>Fraxinus americana</i>	13	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
72 THURSTON ST Front 1	ash: white/ <i>Fraxinus americana</i>	19	Poor	Assessed for Removal
99 THURSTON ST Front 3	ash: white/ <i>Fraxinus americana</i>	12	Poor	Assessed for Removal
26 TOWER ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	26	Poor	Assessed for Removal
110 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Assessed for Removal
123 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
142 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
160 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Assessed for Removal
168 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Poor	Assessed for Removal
172 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Poor	Assessed for Removal
174 WALNUT ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
30 X WASHINGTON ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
84 X WASHINGTON ST Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	8	Poor	Assessed for Removal
435 WASHINGTON ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Poor	Assessed for Removal
15 WEBSTER AVE Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Poor	Assessed for Removal
67 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
68 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Poor	Assessed for Removal
75 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	16	Poor	Assessed for Removal

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
79 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	Assessed for Removal
98 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
111 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	12	Poor	Assessed for Removal
135 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
135 WILLOW AVE Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
155 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	9	Poor	Assessed for Removal
173 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	14	Poor	Assessed for Removal
183 WILLOW AVE Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	Assessed for Removal
187 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	12	Poor	Assessed for Removal
192 WILLOW AVE Front 1	ash: European/ <i>Fraxinus excelsior</i>	13	Poor	Assessed for Removal
201 X WILLOW AVE Front 3	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
201 X WILLOW AVE Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	15	Poor	Assessed for Removal
227 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	11	Poor	Assessed for Removal
275 WILLOW AVE Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	10	Poor	Assessed for Removal
101 YORKTOWN ST Front 1	ash: white/ <i>Fraxinus americana</i>	13	Poor	Assessed for Removal
277 ALEWIFE BROOK PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	DCR Property
283 ALEWIFE BROOK PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	21	Poor	DCR Property

## REVISED SITE LISTING -- JUNE 2016

This list includes Ash trees that were originally recommended for removal based on an October 2015 evaluation. Trees were re-inspected in June 2016; updated recommendations are below.

**\*\*Note that this list does not include approximately 146 Ash trees in "good" condition and 588 Ash trees in "fair" condition that will receive ongoing treatment to protect against the Emerald Ash Borer.**

Address	Species	DBH (Diameter of tree at 4.5 ft. above ground)	Condition	Recommended Action (as of June 15, 2016)
299 ALEWIFE BROOK PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	25	Poor	DCR Property
319 ALEWIFE BROOK PARKWAY Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	17	Poor	DCR Property
350 X ALEWIFE BROOK PARKWAY Front 12	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	DCR Property
373 ALEWIFE BROOK PARKWAY Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	13	Poor	DCR Property
380 X ALEWIFE BROOK PARKWAY Front 4	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	DCR Property
40 X FELLSSWAY WEST Median 4	ash: green/ <i>Fraxinus pennsylvanica</i>	6	Poor	DCR Property
40 X FELLSSWAY WEST Median 10	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	DCR Property
684 X SACRAMENTO ST Front 1	ash: green/ <i>Fraxinus pennsylvanica</i>	4	Poor	DCR Property
684 X SACRAMENTO ST Front 2	ash: green/ <i>Fraxinus pennsylvanica</i>	5	Poor	DCR Property

All trees listed were inspected by the city's on-call certified arborist in October 2015 and again in June 2016. All recommended actions are subject to change based on conditions on the ground, which includes detection of the Emerald Ash Borer in Somerville.

Trees listed "Dead -- Remove" are subject to removal this season.

Trees listed "Recommended for treatment" will receive their first treatment with TreeAzin (an organic insecticide) during summer 2016 or summer 2017.

Trees listed "Assessed for Removal" are recommended to be removed as soon as possible by the city's arborist as they are either in too poor condition to receive treatment and/or are deteriorating and may soon cause a public safety issue.

Trees listed "DCR Property" are located on property owned by the Commonwealth of Massachusetts.